

haasLEUCHTEN AURA High-Bay Luminaires

haasLEUCHTEN AURA specs

Housing: pure aluminum

Luminous efficacy: 160lm/W

Power variants:

- 60W / 100W / 120W / 150W / 200W / 300W / 360W

Lumen output:

- 9600lm / 16000lm / 19200lm / 24000lm / 32000lm / 48000lm / 57600lm

Length:

- 362mm / 415mm / 487mm / 720mm

CRI: >80

UGR: <21 (with haasLEUCHTEN Anti Glaring Technology)

Protection:

- OTP, OCP, OVP, SCP


Surge protection: 6kV

Rated life (L90B10): 50kh

Warranty: 5 years


Ingress protection: IP65

Impact test: IK10




haasLEUCHTEN AURA High-bay luminaire

haasLEUCHTEN AURA models




SKU	Model	Dimensions (L x W x H) (mm)	Input power (W)	Luminuos flux (lm)	Colour temperature (K)	Version
307010211	HS-HL-HB-060-F-4K-01	362*257*120	60	9600	4000	Fixed output
307011211	HS-HL-HB-100-F-4K-01	362*257*120	100	16000	4000	Fixed output
307012211	HS-HL-HB-120-F-4K-01	415*310*120	120	19200	4000	Fixed output
307013211	HS-HL-HB-150-F-4K-01	487*362*120	150	24000	4000	Fixed output
307014211	HS-HL-HB-200-F-4K-01	487*362*120	200	32000	4000	Fixed output
307015211	HS-HL-HB-300-F-4K-01	720*365*130	300	48000	4000	Fixed output
307016211	HS-HL-HB-360-F-4K-01	720*365*130	360	57600	4000	Fixed output

haasLEUCHTEN AURA models



SKU	Model	Dimensions (L x W x H) (mm)	Input power (W)	Luminuos flux (lm)	Colour temperature (K)	Version
307017211	HS-HL-HB-060-D-4K-01	362*257*120	60	9600	4000	DALI dimmable
307018211	HS-HL-HB-100-D-4K-01	362*257*120	100	16000	4000	DALI dimmable
307019211	HS-HL-HB-120-D-4K-01	415*310*120	120	19200	4000	DALI dimmable
307020211	HS-HL-HB-150-D-4K-01	487*362*120	150	24000	4000	DALI dimmable
307021211	HS-HL-HB-200-D-4K-01	487*362*120	200	32000	4000	DALI dimmable
307022211	HS-HL-HB-300-D-4K-01	720*365*130	300	48000	4000	DALI dimmable
307023211	HS-HL-HB-360-D-4K-01	720*365*130	360	57600	4000	DALI dimmable

haasLEUCHTEN AURA models



SKU	Model	Dimensions (L x W x H) (mm)	Input power (W)	Luminuos flux (lm)	Colour temperature (K)	Version
307024211	HS-HL-HB-060-S-4K-01	362*257*120	60	9600	4000	Built-in sensor
307025211	HS-HL-HB-100-S-4K-01	362*257*120	100	16000	4000	Built-in sensor
307026211	HS-HL-HB-120-S-4K-01	415*310*120	120	19200	4000	Built-in sensor
307027211	HS-HL-HB-150-S-4K-01	487*362*120	150	24000	4000	Built-in sensor
307028211	HS-HL-HB-200-S-4K-01	487*362*120	200	32000	4000	Built-in sensor
307029211	HS-HL-HB-300-S-4K-01	720*365*130	300	48000	4000	Built-in sensor
307030211	HS-HL-HB-360-S-4K-01	720*365*130	360	57600	4000	Built-in sensor

haasLEUCHTEN AURA SKUs

307010211:	HS-HL-HB-060-F-4K-01
307011211:	HS-HL-HB-100-F-4K-01
307012211:	HS-HL-HB-120-F-4K-01
307013211:	HS-HL-HB-150-F-4K-01
307014211:	HS-HL-HB-200-F-4K-01
307015211:	HS-HL-HB-300-F-4K-01
307016211:	HS-HL-HB-360-F-4K-01
307017211:	HS-HL-HB-060-D-4K-01
307018211:	HS-HL-HB-100-D-4K-01
307019211:	HS-HL-HB-120-D-4K-01
307020211:	HS-HL-HB-150-D-4K-01
307021211:	HS-HL-HB-200-D-4K-01
307022211:	HS-HL-HB-300-D-4K-01
307023211:	HS-HL-HB-360-D-4K-01
307024211:	HS-HL-HB-060-S-4K-01
307025211:	HS-HL-HB-100-S-4K-01
307026211:	HS-HL-HB-120-S-4K-01
307027211:	HS-HL-HB-150-S-4K-01
307028211:	HS-HL-HB-200-S-4K-01
307029211:	HS-HL-HB-300-S-4K-01
307030211:	HS-HL-HB-360-S-4K-01



haasLEUCHTEN AURA with Anti Glaring Technology

